EPSON

Epson SureColor SC-P7000 STD



Brand : Epson **Product family:** SureColor **Product code:** C11CE39301A0

Product name : SureColor SC-P7000 STD

- UltraChrome HDX pigment inks: Delivers highly-accurate colours with 98% of Pantone{s®1
- Epson TFP PrecisionCore printhead: Ensure consistent results and high-quality, reliable output
- Superior lightfastness: Prints on Premium Glossy Photo Paper can last up to 60 years{s2
- High-capacity ink cartridges: Longer print runs between cartridge replacements
- Easy to use: Clear LCD control panel and optional 320Gb hard disk

SureColor SC-P7000 STD

Epson SureColor SC-P7000 STD. Print technology: Inkjet, Maximum resolution: 2880 x 1440 DPI, Page description languages: ESC/P-R. Maximum print size: A1 (594 x 841 mm), Paper tray media types: Roll, ISO A-series sizes (A0...A9): A1, A2, A3+, A3, A4. Ethernet interface type: Gigabit Ethernet, USB connector: USB Type-A, Ethernet LAN data rates: 10,100,1000 Mbit/s. Product colour: Black, Grey, Display: LCD, Display diagonal: 6.81 cm (2.68"). Power consumption (PowerSave): 19 W, Power consumption (standby): 2 W, Power consumption (typical): 65 W

Printing	
Print head nozzles	360 Nozzles Black, 360 Nozzles per Color
Colour printing technology	UltraChrome® HDX
Print technology *	Inkjet
Colour *	✔
Maximum resolution *	2880 x 1440 DPI
Number of print cartridges *	11
Page description languages *	ESC/P-R
Printing colours *	Photo black, Matte black, Light Cyan, Light light black, Light black, Vivid light magenta, Vivid magenta, Orange, Green, Yellow, Cyan
Borderless printing	✔
Print cartridge volume (metric)	700 ml
Print head	PrecisionCore™ TFP print head

Paper handling	
Maximum print size *	A1 (594 x 841 mm)
Paper tray media types *	Roll
ISO A-series sizes (A0...A9)	A1, A2, A3+, A3, A4
ISO B-series sizes (B0...B9)	B4, B3, B2
Media thickness	0.08 - 1.5 mm
Maximum roll width	25.4 cm
Maximum roll diameter	15 cm
Print margin cut-sheet	3 x 3 x 14 x 3
Roll top margin	3 mm
Borderless printing width	10 inches, 11.81 inches, 12.95 inches, 15.98 inches, 17.01 inches, 20.28 inches, 23.39 inches, 24.02 inches
Roll paper	✔

Ports & interfaces	
Wi-Fi *	✘
Ethernet interface type	Gigabit Ethernet
Ethernet LAN *	✔
USB port *	✔
USB connector	USB Type-A
USB 2.0 ports quantity	1
Ethernet LAN data rates	10,100,1000 Mbit/s

Power	
Power consumption (PowerSave)	19 W
Power consumption (standby)	2 W
Power consumption (typical)	65 W
Power consumption (off)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

System requirements	
Compatible operating systems	Linux, Mac OS X 10.6.8 or later, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Vista, Windows Vista x64, Windows XP, Windows XP x64
Windows operating systems supported	Windows 2000, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows Vista, Windows Vista x64, Windows XP
Mac operating systems supported	Mac OS X 10.6 Snow Leopard
Linux operating systems supported	✔

Weight & dimensions	
Width	1356 mm
Depth	667 mm
Height	1218 mm
Weight	144 kg

Packaging data	
Package width	800 mm
Package depth	1490 mm
Package height	1080 mm
Package weight	148 kg
Cartridge(s) included	✔
Drivers included	✔
Manual	✔
Quick start guide	✔

Other features	
Ink drop	3.5 pl

Ports & interfaces	
RJ-45 ports quantity	1

Performance	
Product colour *	Black, Grey
Built-in display *	✔
Display	LCD
Colour display	✔
Display diagonal	6.81 cm (2.68")
Internal memory	1024 MB
Sound pressure level (printing)	47 dB
Country of origin	China

Logistics data	
Quantity per pack	1 pc(s)
Harmonized System (HS) code	84433210

Technical details	
Box contents	Driver and utilities, Individual Ink Cartridges, Main unit, Power cable, Setup guide, Software (CD), User manual (CD)
Power consumption	65 Watt, 19 Watt (economy), 2 Watt (standby), 0.5 Watt (Power off)
Ink tank capacity	700 ml

8715946607290

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 14-NOV-2026. Prints or copies of Information are only valid on the printed Publication date